

**CLAIMS:**

1. A method, comprising:  
receiving electronic ink input;  
converting the electronic ink input to one or more machine-generated objects; and  
rendering the one or more machine-generated objects such that a size of the machine-generated object or objects substantially corresponds to an original size of the electronic ink input.
2. A method according to claim 1, further comprising:  
determining the original size of the electronic ink input.
3. A method according to claim 2, wherein the original size of the electronic ink input is determined based on an average size of at least a portion of the electronic ink input.
4. A method according to claim 1, further comprising:  
receiving input selecting at least one object from the rendered machine-generated object or objects; and  
displaying the electronic ink input corresponding to the selected machine-generated object or objects.
5. A method according to claim 4, wherein the displayed electronic ink input temporarily replaces the rendered machine-generated object or objects.
6. A method according to claim 1, wherein the one or more rendered machine-generated objects are arranged so as to correspond to an original arrangement of the electronic ink input.
7. A method according to claim 1, wherein the electronic ink input includes electronic ink text input, the one or more machine-generated objects includes machine-generated text, and the size of at least some of the machine-generated objects constitutes a font size of the machine-generated text.
8. A method according to claim 7, further comprising:  
determining the original size of the electronic ink text input on a word-by-word basis.

9. A method according to claim 8, wherein the machine-generated text is rendered, on a word-by-word basis, at a font size based on the determined original size of the electronic ink text input.

10. A method according to claim 7, further comprising:  
determining the original size of the electronic ink text input as an average size of a line of the electronic ink text input, on a line-by-line basis.

11. A method according to claim 10, wherein the machine-generated text is rendered, on a line-by-line basis, at a font size based on the average size of the electronic ink text input line.

12. A method according to claim 7, further comprising:  
receiving input selecting one or more words from the rendered machine-generated text; and  
displaying the electronic ink text input corresponding to the selected machine-generated text.

13. A method according to claim 12, further comprising:  
displaying machine-generated text alternatives corresponding to the selected one or more words.

14. A method according to claim 13, further comprising:  
receiving input selecting a displayed machine-generated text alternative; and  
replacing the selected rendered machine-generated text with the selected displayed machine-generated text alternative.

15. A system, comprising:  
an input adapted to receive electronic ink input; and  
a processor programmed and adapted to: (a) convert the electronic ink input to one or more machine-generated objects, and (b) render the one or more machine-generated objects such that a size of the machine-generated object or objects substantially corresponds to an original size of the electronic ink input.

16. A system according to claim 15, wherein the electronic ink input includes electronic ink text input, the one or more machine-generated objects includes machine-generated text, and the size of at least some of the machine-generated objects constitutes a font size of the machine-generated text.

17. A system according to claim 16, wherein the input is further adapted to receive a selection of one or more words from the rendered machine-generated text, and wherein the processor is further programmed and adapted to display the electronic ink text input corresponding to the selected machine-generated text and to display machine-generated text alternatives corresponding to the selected one or more words.

18. A system according to claim 17, wherein the input is further adapted to receive a selection of a displayed machine-generated text alternative, and the processor is further programmed and adapted to replace the selected rendered machine-generated text with the selected displayed machine-generated text alternative.

19. A computer-readable medium including computer-executable instructions stored thereon for performing a method, comprising:

- receiving electronic ink input;
- converting the electronic ink input to one or more machine-generated objects; and
- rendering the one or more machine-generated objects such that a size of the machine-generated object or objects substantially corresponds to an original size of the electronic ink input.

20. A computer-readable medium according to claim 19, wherein the electronic ink input includes electronic ink text input, the one or more machine-generated objects includes machine-generated text, and the size of at least some of the machine-generated objects constitutes a font size of the machine-generated text.